## Maintenance of Contact Data

Description of how to update Contact Finder data.

At the moment the import process is a support request via SNOW to the GRM team. In 2024, we'll focus on an interface to the CRM system replacing the file-based import. Depending on the timeline we'll maybe also activate the file-based import for MBUs. We'll decide on that after all countries have been launched.

The Typo3-based revision of single entries is already available for editors.

- Import Process (bulk use cases)
- Update Import Process (bulk use cases)
- Typo3 Backend (single data changes)
- Values & examples per data field

### Import Process (bulk use cases) ∅

#### Important note:

In the case of the initial first import of data, you have to create a new folder structure like described below. In case you want to update already existing data values and only add a few new entries, you can use the already existing folder. The import will automatically identify already existing items if naming of identifier fields is identical.

E.g.


- a) Company name in combination with the address
- b) Person name in combination with address

Import process steps:


- 1. Create & fill the master file as XLSX (see file below)
  - a. File size has to be limited to max. 2000 rows otherwise the import process will run into a timeout.
- 2. Convert XLSX file to JSON File ( Convert Excel to JSON Array Online Table Convert Online )
- 3. Create a new storage folder with unique naming (e.g. typo of data + date)



4. Import JSON to the storage folder  $\,$ 




5. If a salesperson is responsible for more than one country and related ZIP areas, the additional countries need to be maintained manually.





- → we'll add this functionality to the import file in a later phase after all country launches have been finished.
- 6. Connect Plugin on the page with the new storage folder



- 7. The index process is running to make data available in the Solr search and on the related finder page (every 5 minutes 50 data items are updated)
- 8. If all new data is present on the website and quality check fine then delete old storage content and folder



# Update Import Process (bulk use cases) $\mathscr O$

Same steps as above but you can overwrite the already existing list of contact items with a new JSON Import file. In case of identical contacts, the importer will only update already existing data add only the delta of new items.

Deletions of contacts have to be done manually. The import process can't delete them automatically.


# Typo3 Backend (single data changes) ∅

- 1. Go to the Typo3 Backend and related folder
- 2. Open List view
- 3. Look for the specific data set
- 4. Open and change the date within the shown edit view

#### Values & examples per data field ∅

Column	data information	example
field		

Туре	<ul> <li>possible values are pre-definied and connected to different rule sets which master table columns are required or not.</li> <li>Possible types at the moment:</li> <li>Person (for use case contact person search including different sales areas per person in DE, CH, UK, etc.)</li> <li>Global (for use case sales international website and different country adresses)</li> <li>Company (for use case "agenzia di vendida - Italy) or contacts per topcis in Germany</li> <li>Installer (for use case installer search in BeNe)</li> <li>Showroom (for showroom data including roduct detail page links)</li> <li>Partner (for use case partner program includ. additional info field for partner status)</li> </ul>		Showroom   please choose Person Global Company Installer Blowroom Partner
Title	simple text	Title Ospelt Hausted	chnik AG ×
Customer	numeric	e.g. SAP number or partner number	
firstname	simple text		
lastname	simple text, can also be used for additional contact information like job description		
address1	text & numeric		
address2	text & numeric		
zipcode	text & numeric		
city	text & numeric		
country	ISO2 code of the related country	[€ List of country codes by alpha-2, alpha-3 code (ISO 3166)]	
phone	text & numeric, best practice would be 00country-numbers(0)contactnumber > it is possible to add an additiona phone title for the front-end in the typo3 backend	0042(0)323708  Link Drowner  Committee Confidence  Tale  Additional for parameters  Talephare number	44 (50 227 00 80 M
fax	like phone		
mobile	like phone		
email	standard email address integration		



Regions	Sales area config for UK	Regions CSV values for UK only  SA,BA,BS,CF,DT,EX,HR,LD,NP,PL,TA,TQ,TR	
Region	Sales are config for Italy		
SubRegio n	Sales are config for Italy		